PATENT

**DOCKET NO.:** BELL-0068/00248 **Application No.:** 09/854,723

Office Action Dated: March 21, 2005

This listing of claims will replace all prior versions, and listings, of claims in the application.

## Listing of Claims:

1. (Currently Amended) Apparatus for displaying information from a portable communications device having a data output port on a remote projection display device having a data input port, the apparatus comprising:

a first data port <u>associated with a cradle for receiving the portable</u>

<u>communications device, the first data port that is adapted to be coupled to the data output port</u>

of the portable communications device, the first data port for receiving <u>remote</u> data from the

portable communications device; and

a second data port that is adapted to be coupled to the data input port of the remote projection display device, the second data port for <u>automatically</u>, <u>upon placement of the portable communications device into the cradle</u>, providing to the remote projection display device a representation of the remote data received atfrom the portable communications device, the portable communications device comprising a processor for converting the received remote data into the representation of the remote data displayed on the remote projection display.

- 2. (Currently Amended) Apparatus according to claim 1, further comprising:
  a data translator, coupled between the first inputdata port and the second
  inputdata port, that formats the remote data received atfrom the portable communications
  device into thea format from which the remote projection display device can provide thea
  projected display.
- 3. (Currently Amended) Apparatus according to claim 1, wherein the portable communications device includes a scrollable display, the apparatus further comprising:

a scroll controller that causes the remote projection display device to provide a scrolling display of the information that corresponds to the scrollable display of the portable communications device.

PATENT

**DOCKET NO.:** BELL-0068/00248 **Application No.:** 09/854,723

the housing;

Office Action Dated: March 21, 2005

- 4. (Original) The apparatus of claim 3, wherein the scroll controller comprises a control device that is integrated into an automobile steering wheel and is adapted to be electrically connected to the remote projection display device.
- 5. (Original) Apparatus according to claim 1, wherein the portable communications device is an Internet appliance.
- 6. (Original) Apparatus according to claim 1, wherein the portable communications device is a cellular telephone.
- 7. (Original) Apparatus according to claim 1, wherein the portable communications device is a personal digital assistant.
- 8. (Original) Apparatus according to claim 1, wherein the remote projection display device provides the projected display on an automobile windshield.
- 9. (Original) Apparatus according to claim 8, wherein the remote projection display device is a heads-up display device that is integrated into an automobile.
- 10. (Currently Amended) Apparatus for hands-free communication using a portable communications device, the apparatus that is adapted to receive remote data from athe-portable communications device via a wireless telecommunications link, the portable communications device having an externally accessible data output port, the apparatus comprising:

a housing that is adapted to receive the portable communications device;

a sensor for detecting placement of the portable communications device into

a first interface for coupling the data output port of the portable communications device to the housing;

a second interface for coupling the housing to a data input port of a remote projection display device; and

PATENT

**DOCKET NO.:** BELL-0068/00248

**Application No.:** 09/854,723

Office Action Dated: March 21, 2005

a processor within the portable communications device for receiving the remote communications data atfrom the portable communications device, converting the received remote data to a format displayable by a remote projection display device, and forwarding the converted remote data to the remote projection display device via the second interface for automatic display upon detection of placement of the portable communications device into the housing.

- Apparatus according to claim 10, further comprising a cable 11. (Original) that is adapted to couple the second interface to the projection display device.
- Apparatus according to claim 10, wherein the second interface 12. (Original) is a wireless interface that is adapted to couple the housing to a corresponding wireless interface of the remote projection display.
- Apparatus according to claim 10, wherein the processor 13. (Original) includes a data translator that formats the data received from the portable communications device into the format from which the remote projection display device can provide the projected display.
- (Currently Amended) Apparatus according to claim 10, wherein the portable 14. communications device includes a scrolling capability, and the processor includes a scroll controller that receives scrolling commands from a remote scroll control device and causes the remote projection display device to provide a scrolling display of the information converted remote data based on the scrolling commands.
- Apparatus according to claim 10, wherein the first interface is a 15. (Original) serial port connector and the second interface is a serial port connector.
- Apparatus according to claim 10, wherein a connection 16. (Original) between the first interface and the data output port of the portable communications device is achieved upon receipt of the portable communications. BEST AVAILABLE COPY